

Mi-T-M[®] CORPORATION

8650 Enterprise Drive, Peosta IA 52068

563-556-7484 / Fax 563-556-1235

www.mitm.com

TECHNICAL PARTS LIST FOR ***CD-1002-0MUH CD-1502-0MUH*** ***CD-1002-0MUC CD-1502-0MUC***

MOTOR HORSEPOWER:

CD-1002-0MUH/C:

1.5 HP

CD-1502-0MUH/C:

2.0 HP

PUMP OIL GRADE:

Mi-T-M PUMP OIL #AW-4085-0016

PUMP OIL CAPACITY:

11.2 oz.

NOZZLE SIZE:

CD-1002-0MUH/C:

1.40 mm

CD-1502-0MUH/C:

1.25 mm

This Parts Listing has been compiled for your benefit. You can be assured your Mi-T-M Cold Water Pressure Washer was constructed and designed with quality and performance in mind using over 25 years experience in the pressure washer business. Each component has been rigorously tested to insure the highest level of acceptance.

The contents of this Parts Listing are based on the latest product information available at the time of publication. Mi-T-M reserves the right to make changes in price, color, materials, equipment, specifications or models at any time without notice.

WARNING

THIS IS A PROFESSIONAL HIGH PRESSURE, COLD WATER PRESSURE WASHER. CAUTION SHOULD BE OBSERVED WHEN USING OR REPAIRING THIS UNIT! READ AND FOLLOW THE SAFETY WARNINGS LISTED BELOW BEFORE ATTEMPTING ANY REPAIRS ON THIS PRESSURE WASHER!

- SAFETY WARNINGS**
1.

NEVER alter or modify the equipment. Be sure any accessory items and system components being used will withstand the pressure developed. Use only genuine Mi-T-M parts for repair of your pressure washer. Failure to do so can cause hazardous operating conditions and will VOID warranty.
2.

NEVER make adjustments on machinery while the unit is connected to the power source. Turning over the machinery by hand during adjustment or cleaning might start the machinery, causing serious injury to the operator.
3.

Know how to stop and bleed pressures quickly. Be thoroughly familiar with controls.
4.

Before servicing the unit, turn unit off, relieve the water pressure and allow the unit to cool down. Do not make repairs while the unit is running. Service in a clean, dry, flat area.
5.

After testing the machine, DO NOT leave the pressurized unit unattended. Shut off the unit and release trapped pressure before leaving.

Table of Contents

SPECIFICATIONS.....

3

NOTES

4-5

FRAME ASSEMBLY FOR CD-1002-0MUH (BEFORE SERIAL #10146810)

6

FRAME ASSEMBLY FOR CD-1002-0MUH (AFTER SERIAL #10146810) & CD-1502-0MUH (AFTER SERIAL #10240197)

8

FRAME ASSEMBLY FOR CD-1002-0MUC (BEFORE SERIAL #10040491)

10

FRAME ASSEMBLY FOR CD-1002-0MUC (AFTER SERIAL #10040491)

12

FRAME ASSEMBLY FOR CD-1502-0MUC (BEFORE SERIAL #10040369)

14

FRAME ASSEMBLY FOR CD-1502-0MUC (AFTER SERIAL #10040369)

16

FRAME ASSEMBLY FOR CD-1002-0MUC (AFTER SERIAL #10146810) & CD-1502-0MUC (AFTER SERIAL #10240197)

18

MOTOR ASSEMBLY (851-0247 & 851-0248)

20

PUMP ASSEMBLY (3-0071)

22

UNLOADER (8-0493) & DETERGENT INJECTOR (46-0752) ASSEMBLY.....

24

GUN ASSEMBLY (16-0167)

26

GUN ASSEMBLY (16-0404)

28

LANCE ASSEMBLY (16-0171)

30

LANCE ASSEMBLY (16-0412 AND 16-0413)

32

OPTIONAL CART ASSEMBLY (AW-7005-02WK)

34

WIRING SCHEMATIC

36

WIRING DIAGRAM

37

NOTES

38-39

SPECIFICATIONS

MODEL NUMBER	CD-1002-0MUH	CD-1002-0MUC	CD-1502-0MUH	CD-1502-0MUC
Operating Pressure (PSI/Bar):	1000/69		1500/103	
High Pressure Nozzle:	1.40 mm		1.25 mm	
Water Volume (GPM/lpm):	2.0/7.6			
Motor:	Totally enclosed fan cooled, circuit breaker thermal overload protection, 35ft. power supply cord with Ground Fault Circuit Interrupter (GFCI)			
Horsepower	1.5		2.0	
Voltage	120			
Phase	Single			
Amps	12.5		17.0	
Pump:	Direct Driven, Oil Bath, Triplex Piston			
Oil Type	Mi-T-M Pump Oil #AW-4085-0016			
Oil Capacity (oz./liters)	11.2/0.3			
Plungers	Ceramic			
Manifold	Forged Brass			
Valves	Stainless Steel			
Unloader	Preset			
Pop-Off Valve	Relieves excess pressure			
Heat Dump Valve	Relieves heated water during unloader bypass stage			
Detergent Injector:	Adjustable low pressure down stream from pump			
Unit Net Weight (lbs/Kg)	53/24	100/50	53/24	100/50
Unit Shipping Weight (lbs/Kg)	65/29.5	115/52	65/29.5	115/52
Unit Net Dimension (in)	22Lx11Wx14.5H	32Lx18Wx22.5H	22Lx11Wx14.5H	32Lx18Wx22.5H
Unit Net Dimension (cm)	56Lx28Wx37H	81Lx45.75Wx57H	56Lx28Wx37H	81Lx45.75Wx57H
Unit Shipping Dimension (in)	24.5Lx13Wx16H	33Lx21Wx24H	24.5Lx13Wx16H	33Lx21Wx24H
Unit Shipping Dimension (cm)	62Lx33Wx40.5H	84Lx53Wx61H	62Lx33Wx40.5H	84Lx53Wx61H

NOTES

SERIAL BREAK NUMBER:

#10040491

#10040369

#10146810

#10240197

SERIAL BREAK EXPLANATION:

CD-1002-0MUC ONLY: FRAME CHANGE FROM 5-0118A033 TO 5-0148A01.


CD-1502-0MUC ONLY: FRAME CHANGE FROM 5-0118A033 TO 5-0148A01.

CD-1002-0MUC/0MUC ONLY: CHANGED LANCE FROM 16-0173 TO 16-0404.
CHANGED NOZZLE ASSEMBLY FROM 16-0173 TO 16-0413.

CD-1502-0MUH/UC ONLY: CHANGED LANCE FROM 16-0171 TO 16-0412.

NOTES


FRAME ASSEMBLY FOR CD-1002-0MUH (BEFORE SERIAL #10146810)



Call for Parts 888-279-9274

FRAME ASSEMBLY FOR CD-1002-0MUH (BEFORE SERIAL #10146810)								
REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Screw	27-0068	4		21	Bolt	27-0118	2
2	Isolator	14-0008	4		22	Elbow	23-0014	1
3	Base Plate	5-0110A01	1		23	Pop-Off	22-0046	1
4	Locknut	30-0157	8		24	Heat Dump Valve	22-0114	1
5	Bolt	27-0066	4		25	Bolt	27-0117	2
6	Washer	28-0003	4		26	Decal- Important: Pump Instructions (E/S)	34-1068	1
7	Decal- Caution/Important (E/S)	34-1015	1		27	Tag- Remove Red Plug	34-0102	1
8	Hang Tag- Warning: Risk of Electrocution (E/F/S)	34-1035	1		28	Unloader w/Injector	8-0493	1
9	Cable Tie	33-0022	1		29	Garden Hose Fitting	23-0096	1
10	Motor Assembly- 1.5 H.P.	851-0247	1		30	Inlet Filter	19-0001	1
11	Decal- On/Off	34-0612	1		31	Quick Connect Socket	17-0004	1
12	Decal- Mi-T-M CD-1002	34-0629	2		32	O-ring (Replacement Only)	25-0123	-
13	Decal- Warning: Risk of Electrocution	34-1013	1		33	Detergent Hose *(Four Feet Required)	15-0021	1
14	Decal- Warning: Risk of Injection/Explosion	34-1017	1		34	Detergent Strainer	19-0050	1
15	Decal- Data Plate	N/A	1		35	Quick Connect Plug	17-0006	1
16	Key	43-0072	1		36	High Pressure Hose	15-0138	1
17	Pump	3-0071	1		37	Gun w/Lance	16-0167	1
18	Grip	7-0059	1		38	Variable Nozzle Assembly- 1.40mm	16-0173	1
19	Handle	7-0078A01	1		39	Decal- Adjustable Nozzle	34-0457	1
20	Washer w/Pump	29-0155	4	*Must Order in One Foot Lengths				


FRAME ASSEMBLY FOR CD-1002-0MUH (AFTER SERIAL #10146810) & CD-1502-0MUH (AFTER SERIAL #10240197)



Call for Parts 888-279-9274

FRAME ASSEMBLY FOR CD-1002-0MUH (AFTER SERIAL #10146810) & CD-1502-0MUH (AFTER SERIAL #10240197)							
REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.
1	Detergent Hose *(Four Feet Required)	15-0021	1	23	Motor Assembly- 1.5 HP (CD-1002-0MUH)	851-0247	1
2	Detergent Strainer	19-0050	1	-	Motor Assembly- 2.0 HP (CD-1502-0MUH)	851-0248	1
3	Unloader	8-0493	1	24	Decal- On/Off (See 34-9015)	N/A Sep.	1
4	Garden Hose Fitting	23-0096	1	25	Decal- Warning: Risk of Electrocution (See 34-9015)	N/A Sep.	1
5	Inlet Filter	19-0001	1	26	Decal- Mi-T-M CD-1002 (CD-1002-0MUH)	34-0629	2
6	Quick Connect Socket	17-0004	1	-	Decal- Mi-T-M CD-1502 (CD-1502-0MUH)	34-0630	2
7	O-ring (Replacement Only)	25-0123	-	27	Decal- Warning: Risk of Injection/Explosion (See 34-9015)	N/A Sep.	1
8	Bolt	27-0117	4	28	Decal- Date Plate	N/A	1
9	Lockwasher	29-0155	4	29	Decal- Adjustable Nozzle (See 34-9015)	N/A Sep.	1
10	Thermal Relief Valve	22-0114	1	30	Lance w/Variable Nozzle 1.40mm (CD-1002-0MUH)	16-0413	1
11	Pop-Off Valve	22-0046	1	-	Lance w/Variable Nozzle 1.25mm (CD-1502-0MUH)	16-0412	1
12	Elbow	23-0014	1	31	Gun w/Lance	16-0445	1
13	Key	43-0072	1	32	Handle Grip	7-0059	1
14	Baseplate	5-0110A01	1	33	Handle Assembly	7-0078A01	1
15	Bolt	27-0066	4	34	Quick Connect Plug	17-0006	1
16	Bolt	27-0068	4	35	High Pressure Hose	15-0138	1
17	Isolator	14-0008	4	36	Pump	3-0071	1
18	Locknut	30-0157	4	37	Decal- Important Pump Instructions (See 34-9015)	N/A Sep.	1
19	Washer	28-0003	4	38	Tag- Remove Red Plug	34-0102	1
20	Decal- Caution/Important (See 34-9015)	N/A Sep.	1	39	Bolt	27-0118	2
21	Hang Tag- Warning: Risk of Electrocution (E/F/S)	34-1035	1		Safety Decal Kit (Inc. 20, 24-25, 27, 29, 37)	34-9015	
22	Cable Tie	33-0022	1	*Must Order in One Foot Lengths			


FRAME ASSEMBLY FOR CD-1002-0MUC (BEFORE SERIAL #10040491)



Call for Parts 888-279-9274

FRAME ASSEMBLY FOR CD-1002-0MUC (BEFORE SERIAL #10040491)							
REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.
1	Handle	7-0132A33	1	26	Decal- Warning: Risk of Injection/Explosion (E/S)	34-1017	1
2	Locknut	30-0154	4	27	Decal- Data Plate	N/A	1
3	Bolt	27-0008	4	28	Key	43-0072	1
4	Locknut	30-0155	2	29	Pump	3-0071	1
5	Knob	7-0115	2	30	Washer w/Pump	29-0155	4
6	Adjustable Knuckle w/o Hex	33-0242	2	31	Bolt	27-0117	4
7	Adjustable Knuckle w/ Hex	33-0241	2	32	Elbow	23-0014	1
8	Bolt	27-0020	2	33	Pop-Off	22-0046	1
9	Frame	5-0118A33	1	34	Heat Dump Valve	22-0114	1
10	Washer	28-0006	2	35	Decal- Important: Pump Instructions	34-1068	1
11	Wheel	14-0052	2	36	Tag- Remove Red Plug	34-0102	1
12	Hub Cap	33-0055	2	37	Unloader w/Injector	8-0493	1
13	Isolator	14-0063	2	38	Garden Hose Fitting	23-0096	1
14	Washer	28-0021	2	39	Inlet Filter	19-0001	1
15	Screw	27-3096	2	40	Quick Connect Socket	17-0004	1
16	Bolt	27-0066	4	41	O-ring (Replacement Only)	25-0123	-
17	Washer	28-0003	4	42	Detergent Hose *(Four Feet Required)	15-0021	1
18	Locknut	30-0157	4	43	Detergent Strainer	19-0050	1
19	Decal- Caution/Important (E/S)	34-1015	1	44	Quick Connect Plug	17-0006	1
20	Hang Tag- Warning: Risk of Electrocution (E/S)	34-1035	1	45	High Pressure Hose	15-0138	1
21	Cable Tie	33-0022	1	46	Gun w/Lance	16-0167	1
22	Motor Assembly- 1.5 H.P.	851-0247	1	47	Variable Nozzle Assembly- 1.40mm	16-0173	1
23	Decal- On/Off	34-0612	1	48	Decal- Adjustable Nozzle	34-0457	1
24	Decal- Mi-T-M CD-1002	34-0629	2	*Must Order in One Foot Lengths			
25	Decal- Warning: Risk of Electrocution (E/S)	34-1013	1				


FRAME ASSEMBLY FOR CD-1002-0MUC (AFTER SERIAL #10040491)



Call for Parts 888-279-9274

FRAME ASSEMBLY FOR CD-1002-0MUC (AFTER SERIAL #10040491)							
REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.
1	Locknut	30-0155	2	25	Decal- Date Plate	N/A	1
2	Isolator	14-0066	2	26	Key	43-0072	1
3	Washer	28-0021	2	27	Pump	3-0071	1
4	Bolt	27-0019	2	28	Washer	29-0155	4
5	Axle Spacer	20-0406A01	2	29	Bolt	27-0117	4
6	Washer	28-0006	5	30	Elbow	23-0014	1
7	Wheel	14-0052	2	31	Pop-Off Valve	22-0046	1
8	Hub Cap	33-0055	2	32	Heat Dump Valve	22-0114	1
9	Axle	20-0517	1	33	Decal- Important Pump Instructions (See 34-9015)	N/A Sep.	1
10	Frame	5-0148A01	1	34	Tag- Remove Red Plug	34-0102	1
11	Bolt	31-0051	2	35	Unloader	8-0493	1
12	Knob	7-0107	2	36	Garden Hose Fitting	23-0096	1
13	Handle Assembly	7-0158A01	1	37	Inlet Filter	19-0001	1
14	Bolt	27-0066	4	38	Quick Connect Socket	17-0004	1
15	Washer	28-0003	4	39	O-ring (Replacement Only)	25-0123	-
16	Locknut	30-0157	4	40	Detergent Hose *(Four Feet Required)	15-0021	1
17	Decal- Caution/Important (See 34-9015)	N/A Sep.	1	41	Detergent Strainer	19-0050	1
18	Hang Tag- Warning: Risk of Electrocution (E/F/S)	34-1035	1	42	Quick Connect Plug	17-0006	1
19	Cable Tie	33-0022	1	43	High Pressure Hose	15-0138	1
20	Motor Assembly- 1.5 H.P.	851-0247	1	44	Gun w/Lance	16-0167	1
21	Decal- On/Off	34-0612	1	45	High/Low Adjustable Nozzle	16-0173	1
22	Decal- Mi-T-M CD-1002	34-0629	2	46	Decal- Adjustable Nozzle (See 34-9015)	N/A Sep.	1
23	Decal- Warning: Risk of Electrocution (See 34-9015)	N/A Sep.	1		Safety Decal Kit (Inc. 17, 21, 23-24, 33, 46)	34-9015	
24	Decal- Warning: Risk of Injection/Explosion (See 34-9015)	N/A Sep.	1	*Must Order in One Foot Lengths			


FRAME ASSEMBLY FOR CD-1502-0MUC (BEFORE SERIAL #10040369)



Call for Parts 888-279-9274

FRAME ASSEMBLY FOR CD-1502-0MUC (BEFORE SERIAL #10040369)							
REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART # QTY.
1	Handle	7-0132A33	1		26	Decal- Warning: Risk of Injection/Explosion (E/S)	34-1017 1
2	Locknut	30-0154	4		27	Decal- Data Plate	N/A 1
3	Bolt	27-0008	4		28	Key	43-0072 1
4	Locknut	30-0155	2		29	Pump	3-0071 1
5	Knob	7-0115	2		30	Washer w/Pump	29-0155 4
6	Adjustable Knuckle w/o Hex	33-0242	2		31	Bolt	27-0117 4
7	Adjustable Knuckle w/ Hex	33-0241	2		32	Elbow	23-0014 1
8	Bolt	27-0020	2		33	Pop-Off	22-0046 1
9	Frame	5-0118A33	1		34	Heat Dump Valve	22-0114 1
10	Washer	28-0006	2		35	Decal- Important: Pump Instructions (E/S)	34-1068 1
11	Wheel	14-0052	2		36	Tag- Remove Red Plug	34-0102 1
12	Hub Cap	33-0055	2		37	Unloader w/Injector	8-0493 1
13	Isolator	14-0063	2		38	Garden Hose Fitting	23-0096 1
14	Washer	28-0021	2		39	Inlet Filter	19-0001 1
15	Screw	27-3096	2		40	Quick Connect Socket	17-0004 1
16	Bolt	27-0066	4		41	O-ring (Replacement Only)	25-0123 -
17	Washer	28-0003	4		42	Detergent Hose *(Four Feet Required)	15-0021 1
18	Locknut	30-0157	4		43	Detergent Strainer	19-0050 1
19	Decal- Caution/Important (E/S)	34-1015	1		44	Quick Connect Plug	17-0006 1
20	Hang Tag- Warning: Risk of Electrocution (E/F/S)	34-1035	1		45	High Pressure Hose	15-0138 1
21	Cable Tie	33-0022	1		46	Gun w/Lance	16-0167 1
22	Motor Assembly- 2.0 H.P.	851-0248	1		47	Variable Nozzle Assembly- 1.25mm	16-0171 1
23	Decal- On/Off	34-0612	1		48	Decal- Adjustable Nozzle	34-0457 1
24	Decal- Mi-T-M CD-1502	34-0630	1		*Must Order in One Foot Lengths		
25	Decal- Warning: Risk of Electrocution (E/S)	34-1013	1				

FRAME ASSEMBLY FOR CD-1502-0MUC (AFTER SERIAL #10040369)




Call for Parts 888-279-9274

CD-1502-0MUC-112102-RD

FRAME ASSEMBLY FOR CD-1502-0MUC (AFTER SERIAL #10040369)							
REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.
1	Locknut	30-0155	2	25	Decal- Data Plate	N/A	1
2	Isolator	14-0066	2	26	Key	43-0072	1
3	Washer	28-0021	2	27	Pump	3-0071	1
4	Bolt	27-0019	2	28	Washer w/Pump	29-0155	4
5	Axle Spacer	20-0406A01	2	29	Bolt	27-0117	4
6	Washer	28-0006	5	30	Elbow	23-0014	1
7	Wheel	14-0052	2	31	Pop-Off	22-0046	1
8	Hub Cap	33-0055	2	32	Heat Dump Valve	22-0114	1
9	Axle	20-0517	1	33	Decal- Important: Pump Instructions (See 34-9015)	N/A Sep.	1
10	Frame	5-0148A01	1	34	Tag- Remove Red Plug	34-0102	1
11	Bolt	31-0051	2	35	Unloader w/Injector	8-0493	1
12	Knob	7-0107	2	36	Garden Hose Fitting	23-0096	1
13	Handle Assembly	7-0158A01	1	37	Inlet Filter	19-0001	1
14	Bolt	27-0066	4	38	Quick Connect Socket	17-0004	1
15	Washer	28-0003	4	39	O-ring (Replacement Only)	25-0123	-
16	Locknut	30-0157	4	40	Detergent Hose *(Four Feet Required)	15-0021	1
17	Decal- Caution/Important (See 34-9015)	N/A Sep.	1	41	Detergent Strainer	19-0050	1
18	Hang Tag- Warning: Risk of Electrocutation (E/F/S)	34-1035	1	42	Quick Connect Plug	17-0006	1
19	Cable Tie	33-0022	1	43	High Pressure Hose	15-0138	1
20	Motor Assembly- 2.0 H.P.	851-0248	1	44	Gun w/Lance	16-0167	1
21	Decal- On/Off	34-0612	1	45	High / Low Adjustable Nozzle	16-0171	1
22	Decal- Mi-T-M CD-1502	34-0630	1	46	Decal- Adjustable Nozzle (See 34-9015)	N/A Sep.	1
23	Decal- Warning: Risk of Electrocutation (See 34-9015)	N/A Sep.	1		Safety Decal Set (Inc. 17, 21, 23-24, 33, 46)	34-9015	
24	Decal- Warning: Risk of Injection/Explosion (See 34-9015)	N/A Sep.	1	*Must Order in One Foot Lengths			


FRAME ASSEMBLY FOR CD-1002-0MUC (AFTER SERIAL #10146810) & CD-1502-0MUC (AFTER SERIAL #10240197)




Call for Parts 888-279-9274

FRAME ASSEMBLY FOR CD-1002-0MUC (AFTER SERIAL #10146810) & CD-1502-0MUC (AFTER SERIAL #10240197)							
REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.
1	Detergent Hose *(Four Feet Required)	15-0021	1	26	Frame	5-0148A01	1
2	Detergent Strainer	19-0050	1	27	Knob	7-0107	2
3	Unloader	8-0493	1	28	Bolt	31-0051	2
4	Garden Hose Fitting	23-0096	1	29	Handle Assembly	7-0158A01	1
5	Inlet Filter	19-0001	1	30	Motor Assembly- 1.5 HP (CD-1002-0MUC)	851-0247	1
6	Quick Connect Socket	17-0004	1	-	Motor Assembly- 2.0 HP (CD-1502-0MUC)	851-0248	1
7	O-ring (Replacement Only)	25-0123	-	31	Decal- On/Off (See 34-9015)	N/A Sep.	1
8	Thermal Relief Valve	22-0114	1	32	Decal- Warning: Risk of Electrocution (See 34-9015)	N/A Sep.	1
9	Pop-Off Valve	22-0046	1	33	Decal- Mi-T-M CD-1002 (CD-1002-0MUC)	34-0629	2
10	Elbow	23-0014	1	-	Decal- Mi-T-M CD-1502 (CD-1502-0MUC)	34-0630	2
11	Bolt	27-0066	4	34	Decal- Warning: Risk of Injection/Explosion (See 34-9015)	N/A Sep.	1
12	Washer	28-0003	4	35	Decal- Date Plate	N/A	1
13	Locknut	30-0157	4	36	Decal- Adjustable Nozzle (See 34-9015)	N/A Sep.	1
14	Decal- Caution/Important (See 34-9015)	N/A Sep.	1	37	Lance w/Variable Nozzle 1.40mm (CD-1002-0MUC)	16-0413	1
15	Hang Tag- Warning: Risk of Electrocution (E/F/S)	34-1035	1	-	Lance w/Variable Nozzle 1.25mm (CD-1502-0MUC)	16-0412	1
16	Cable Tie	33-0022	1	38	Gun w/Lance	16-0445	1
17	Isolator	14-0066	2	39	Quick Connect Plug	17-0006	1
18	Washer	28-0021	2	40	High Pressure Hose	15-0138	1
19	Bolt	27-0019	2	41	Key	43-0072	1
20	Locknut	30-0155	2	42	Pump	3-0071	1
21	Axle Spacer	20-0406A01	2	43	Lockwasher	29-0115	4
22	Washer	28-0006	5	44	Bolt	27-0117	4
23	Wheel	14-0052	2	45	Decal- Important Pump Instructions (See 34-9015)	N/A Sep.	1
24	Hub Cap	33-0055	2	46	Tag- Remove Red Plug	34-0102	1
25	Axle	20-0517	1		Safety Decal Kit (Inc. 14, 31, 32, 34, 36, 45)	34-9015	
*Must Order in One Foot Lengths							

MOTOR ASSEMBLY (851-0247 & 851-0248)




CAPACITOR TERMINAL ASSEMBLY



MOTOR ASSEMBLY (851-0247 & 851-0248)			
REF. #	DESCRIPTION	PART #	QTY.
1	Hex Screw	27-8389	8
2	Motor Box	52-0041	1
3	O-ring	25-0338	1
4	Terminal	32-0099	2
5	Switch for 851-0247 (15 Amp)	32-0408	1
-	Switch for 851-0248 (20 Amp)	32-0348	1
6	Crimp Splice	32-0359	1
7	Starting Capacitor for 851-0247	32-0411	1
-	Starting Capacitor for 851-0248	32-0412	1
8	Running Capacitor	32-0413	1
9	Lockwasher	28-1009	1
10	Strain Relief	32-0407	1
11	GFCI Cord for 851-0247 (15 Amp)	32-0268	1
-	GFCI Cord for 851-0248 (20 Amp)	32-0215	1
12	Motor Box Strap	52-0042	1
13	Motor- 1.5 H.P. (See 851-0247)	N/A Sep.	1
-	Motor- 2.0 H.P. (See 851-0248)	N/A Sep.	1
	Complete Motor Assembly (Inc. 1-13)	851-0247	
	Complete Motor Assembly (Inc. 1-13)	851-0248	


PUMP ASSEMBLY (3-0071)



3-0071-060104-KZ

PUMP ASSEMBLY (3-0071)								
REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Crankcase	46-0221	1		27	Washer	46-0166	3
2	Plug	39-0018	2		28	Plunger- Ceramic	46-0148	3
3	O-ring	25-0052	1		29	O-ring	25-0045	3
4	Drip Pan	46-0229	1		30	Back-up Ring	25-0143	3
5	Oil Seal	26-0111	3		31	Washer	46-0167	3
6	Plug	39-0017	1		32	Conecting Rod	43-0044	3
7	Manifold- Brass	46-0163	1		33	Crankcase Cover	46-0151	1
8	Lockwasher	29-0153	12		34	Bolt	27-8409	4
9	Bolt	27-8406	8		35	Cover O-ring	25-0332	1
10	O-ring (See 70-0009)	N/A Sep.	6		36	Connecting Rod	46-0152	3
11	Valve Seat (See 70-0009)	N/A Sep.	6		37	Piston Guide	46-0149	3
12	Valve Plate (See 70-0009)	N/A Sep.	6		38	Bolt	27-0117	4
13	Valve Spring (See 70-0009)	N/A Sep.	6		39	Lockwasher	29-0155	4
14	Valve Cage (See 70-0009)	N/A Sep.	6		40	Flange	38-0032	1
15	O-ring	25-0012	6		41	Lockwasher	29-0153	4
16	Valve Plug	39-0035	6		42	Bolt	27-8409	4
17	Valve Assembly (Includes 10-14) (See 70-0009)	N/A Sep.	6		43	Bearing Spacer	46-0087	1
18	Head Ring (See 70-0024)	N/A Sep.	3		44	O-ring	25-0060	1
19	V-packing (See 70-0024)	N/A Sep.	3		45	Oil Seal	26-0126	1
20	V-packing Retainer	46-0158	3		46	Snap Ring	46-0245	1
21	O-ring	25-0141	3		47	Ball Bearing	48-0024	1
22	O-ring	25-0128	3		48	Crankshaft	46-0277	1
23	Oil Level Indicator	46-0114	1			Valve Kit (Includes 3 each 10-14, 17)	70-0009	
24	Bearing	48-0019	1			V-packing Kit (Includes 3 each 18-19, 21-22)	70-0024	
25	Oil Dip Stick	46-0143	1			V-packing Assembly (Includes 18-22)	70-0023	
26	Nut	46-0168	3					


UNLOADER (8-0493) & DETERGENT INJECTOR (46-0752) ASSEMBLY



Call for Parts 888-279-9274

UNLOADER (8-0493) & DETERGENT INJECTOR (46-0752) ASSEMBLY								
REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Adjusting Cap	39-0092	1		21	O-ring	25-0376	1
2	Spring	49-0120	1		22	Connector	23-0285	1
3	Spring Retainer	8-0421	1		23	Bypass Fitting	N/A	1
4	Piston Stem	46-0324	1		24	O-ring	25-0375	1
5	Back-up Ring	25-0206	1		25	Flow Balancer	8-0426	1
6	O-ring (See 70-0168)	N/A Sep.	1		26	Spring	49-0121	1
7	Set Screw	8-0479	1		27	Detergent Injector- 1.80mm	46-0752	1
8	Locknut	46-0651	1		28	Orifice- 1.80mm	50-0146	1
9	Piston Retainer	8-0424	1		29	Injector Body	N/A	1
10	O-ring (See 70-0168)	N/A Sep.	3		30	Spring (See 852-0056)	N/A Sep.	1
11	O-ring (See 70-0168)	N/A Sep.	1		31	Ball (See 852-0056)	N/A Sep.	1
12	Back-up Ring	25-0203	1		32	O-ring (See 852-0056)	N/A Sep.	1
13	Washer	8-0433	1		33	Piston Retainer	N/A	1
14	Washer	8-0427	3		34	Spring	49-0056	1
15	Connector	23-0286	1		35	O-ring (See 852-0056)	N/A Sep.	1
16	Body	N/A	1		36	Barb	50-0157	1
17	Valve and Ball Assembly	46-0320	1		37	Adjustable Knob	50-0158	1
18	Bypass Seat	8-0430	1			Unloader Repair Kit (Inc. 4-6, 10-12, 17-19, 21)	70-0168	
19	O-ring	25-0202	1			Injector Repair Kit (Inc. 30-32, 35)	852-0056	
20	Bypass Fitting	N/A	1					

GUN ASSEMBLY (16-0167)




16-0167-110399-RD

GUN ASSEMBLY (16-0167)

REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Screw	27-8382	7		15	Seat (See 70-0057)	N/A Sep.	1
2	Plastic Housing- Left Side	16-0336	1		16	O-ring (See 70-0057)	N/A Sep.	1
3	Housing	23-0295	1		17	Pin (See 70-0057)	N/A Sep.	1
4	Pipe	21-0095	1		18	Washer (See 70-0057)	N/A Sep.	1
5	Coupler	23-0174	1		19	O-ring (See 70-0057)	N/A Sep.	1
6	Trigger Safety Lock	16-0332	1		20	Back-up Ring (See 70-0057)	N/A Sep.	1
7	Trigger Rest	16-0333	1		21	Gun/Wand Connector	16-0182	1
8	Trigger	16-0335	1		22	Pipe	21-0089	1
9	Trigger Pin	43-0069	1		23	Wand Protector	62-0063	1
10	Plastic Housing- Right Side	16-0334	1		24	Plastic Screw Connector	16-0181	1
11	Plug (See 70-0057)	N/A Sep.	1		25	Quick Connect	17-0031	1
12	O-ring (See 70-0057)	N/A Sep.	1			Gun Kit (Includes 11-20)	70-0057	
13	Spring (See 70-0057)	N/A Sep.	1			Complete Gun Assembly (Inc. 1-25)	16-0167	
14	Ball (See 70-0057)	N/A Sep.	1					

GUN ASSEMBLY (16-0404)




16-0404-111004-JJF

GUN/LANCE ASSEMBLY (16-0404)

REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Gun Body (Right Side)	16-0405	1		13	O-ring (See 70-0375)	N/A Sep.	1
2	Pin	43-0114	1		14	Ball (See 70-0375)	N/A Sep.	1
3	Pin	43-0115	1		15	Spring Ball (See 70-0375)	N/A Sep.	1
4	Trigger Lock	16-0406	1		16	Female Inlet	23-0384	1
5	Trigger	16-0407	1		17	Pipe	16-0408	1
6	Pin (See 70-0375)	N/A Sep.	1		18	Screw	27-8862	6
7	Plug	23-0434	1		19	Gun Body (Left Side)	16-0409	1
8	O-ring	N/A	1		20	Body	23-0436	1
9	Backup Ring (See 70-0375)	N/A Sep.	1		21	Pipe	16-0410	1
10	O-ring (See 70-0375)	N/A Sep.	1		22	External Body	16-0411	1
11	Plug	23-0435	1		23	Screw Connect Coupling	16-0337	1
12	Seat (See 70-0375)	N/A Sep.	1			Gun Repair Kit (Inc. 6, 7, 9, 10, 12-15)	70-0375	


LANCE ASSEMBLY (16-0171)



16-0171-040500-RD

LANCE ASSEMBLY (16-0171)			
REF. #	DESCRIPTION	PART #	QTY.
1	O-ring	25-0259	1
2	Quick Connect	17-0032	1
3	Screw Connector	16-0183	1
4	Pipe	21-0096	1
5	Wand Protector	62-0092	1
6	Collar	16-0326	1
7	Nozzle Body	18-0300	1
8	O-ring	25-0345	1
9	Back-up Ring	25-0344	1
10	O-ring	25-0343	1
11	Nozzle- 1.25mm	18-0223	1
12	Sleeve	N/A	1
13	O-ring	25-0419	1
14	Nozzle Assembly Pin	43-0083	1
15	Housing	N/A	1
16	O-ring	25-0342	1
17	Nozzle Angle Plate	18-0283	1
18	Nozzle Protector	18-0301	1
19	Identification Pin- 1.25mm	18-0287	1


LANCE ASSEMBLY (16-0412 AND 16-0413)



LANCE ASSEMBLY (16-0412 AND 16-0413)


REF. #	DESCRIPTION	PART #	QTY.		REF. #	DESCRIPTION	PART #	QTY.
1	Nozzle Assembly (Inc. 2-15)	18-0274	1		11	Plastic Housing (See 18-0274)	N/A Sep.	1
2	Nozzle Body	18-0284	1		12	O-ring	25-0342	1
3	Back-up Ring	25-0346	1		13	Angle Plate	18-0283	1
4	O-ring	25-0345	1		14	Nozzle Protector	18-0353	1
5	O-ring	25-0343	1		15	I.D. Pin- 1.25mm	18-0287	1
6	Back-up Ring	25-0344	1		-	I.D. Pin- 1.40mm	18-0290	1
7	Nozzle- 1.25mm	16-0171	1		16	Coupling	16-0378	1
-	Nozzle- 1.40mm	16-0173	1		17	Pipe	16-0379	1
8	Sleeve (See 18-0274)	N/A Sep.	1			Repair Kit (Inc. 4-6, 13)	70-0303	
9	O-ring	25-0419	1			Complete Lance Assembly - 1.25mm (Inc. 1-17)	16-0412	
10	Pin	43-0083	1			Complete Lance Assembly - 1.40mm (Inc. 1-17)	16-0413	

OPTIONAL CART ASSEMBLY (AW-7005-02WK)




OPTIONAL CART ASSEMBLY (AW-7005-02WK)			
REF. #	DESCRIPTION	PART #	QTY.
1	Handle	7-0132	1
2	Drive Screw	43-0048	8
3	Adjustable Upper Joint	33-0242	2
4	Adjustable Lower Joint	33-0241	2
5	Bolt	27-0020	2
6	Frame	5-0118	2
7	Washer	28-0006	2
8	Wheel	14-0052	2
9	Hub Cap	33-0055	2
10	Locknut	30-0154	2
11	Locknut	30-0155	2
12	Knob	7-0115	2
13	Isolator	14-0063	2
14	Washer	28-0021	2
15	Screw	27-3096	2

WIRING SCHEMATIC



WIRING DIAGRAM



NOTES

NOTES

