



PARTS LIST FOR  
***CD-1002-2MUH/C***  
***CD-1502-2MUH/C***

Call for Parts 888-279-9274

MOTOR HORSEPOWER:

CD-1002-2MUH/C:

1.5 HP

CD-1502-2MUH/C:

2.0 HP

PUMP OIL GRADE:

Mi-T-M PUMP OIL #AW-4085-0016

PUMP OIL CAPACITY:

11.8 oz.

NOZZLE SIZE:

CD-1002-2MUH/C:

4.0

CD-1502-2MUH/C:

3.0

This Parts Listing has been compiled for your benefit. You can be assured your Mi-T-M Cold Water Pressure Washer was constructed and designed with quality and performance in mind using over 25 years experience in the pressure washer business. Each component has been rigorously tested to insure the highest level of acceptance.

The contents of this Parts Listing are based on the latest product information available at the time of publication. Mi-T-M reserves the right to make changes in price, color, materials, equipment, specifications or models at any time without notice.

**WARNING**

THIS IS A PROFESSIONAL HIGH PRESSURE, COLD WATER PRESSURE WASHER. CAUTION SHOULD BE OBSERVED WHEN USING OR REPAIRING THIS UNIT! READ AND FOLLOW THE SAFETY WARNINGS LISTED BELOW BEFORE ATTEMPTING ANY REPAIRS ON THIS PRESSURE WASHER!

- SAFETY WARNINGS**
1.

NEVER alter or modify the equipment. Be sure any accessory items and system components being used will withstand the pressure developed. Use only genuine Mi-T-M parts for repair of your pressure washer. Failure to do so can cause hazardous operating conditions and will VOID warranty.
2.

NEVER make adjustments on machinery while the unit is connected to the power source. Turning over the machinery by hand during adjustment or cleaning might start the machinery, causing serious injury to the operator.
3.

Know how to stop and bleed pressures quickly. Be thoroughly familiar with controls.
4.

Before servicing the unit, turn unit off, relieve the water pressure and allow the unit to cool down. Do not make repairs while the unit is running. Service in a clean, dry, flat area.
5.

After testing the machine, DO NOT leave the pressurized unit unattended. Shut off the unit and release trapped pressure before leaving.

# Table of Contents

SPECIFICATIONS.....

3

FRAME ASSEMBLY FOR CD-1002/1502-2MUh .....

4

FRAME ASSEMBLY FOR CD-1002/1502-2MUC .....

6

MOTOR ASSEMBLY (851-0247 & 851-0248) .....

8

PUMP ASSEMBLY (3-0278) .....

10

UNLOADER ASSEMBLY (8-0572) .....

12

LANCE ASSEMBLY (16-0415) .....

14

WIRING SCHEMATIC .....

16

WIRING Diagram.....


17

## SPECIFICATIONS

| MODEL NUMBER                  | CD-1002-2MUH                                                                                                                                   | CD-1002-2MUC   | CD-1502-2MUH  | CD-1502-2MUC   |
|-------------------------------|------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------|----------------|
| Operating Pressure (PSI/Bar): | 1000/69                                                                                                                                        |                | 1500/103      |                |
| High Pressure Nozzle:         | 4.0                                                                                                                                            |                | 3.0           |                |
| Water Volume (GPM/lpm):       | 2.0/7.6                                                                                                                                        |                |               |                |
| Motor:                        | Totally enclosed fan cooled, circuit breaker thermal overload protection, 35ft. power supply cord with Ground Fault Circuit Interrupter (GFCI) |                |               |                |
| Horsepower                    | 1.5                                                                                                                                            |                | 2.0           |                |
| Voltage                       | 120                                                                                                                                            |                |               |                |
| Phase                         | Single                                                                                                                                         |                |               |                |
| Amps                          | 12.5                                                                                                                                           |                | 17.0          |                |
| Pump:                         | Direct Driven, Oil Bath, Triplex Piston                                                                                                        |                |               |                |
| Oil Type                      | Mi-T-M Pump Oil #AW-4085-0016                                                                                                                  |                |               |                |
| Oil Capacity (oz./liters)     | 11.8/.35                                                                                                                                       |                |               |                |
| Plungers                      | Ceramic                                                                                                                                        |                |               |                |
| Manifold                      | Forged Brass                                                                                                                                   |                |               |                |
| Valves                        | Stainless Steel                                                                                                                                |                |               |                |
| Unloader                      | Adjustable                                                                                                                                     |                |               |                |
| Pop-Off Valve                 | Relieves excess pressure                                                                                                                       |                |               |                |
| Thermal Relief Valve          | Relieves heated water during unloader bypass stage                                                                                             |                |               |                |
| Detergent Injector:           | Adjustable low pressure down stream from pump                                                                                                  |                |               |                |
| Unit Net Weight (lbs/Kg)      | 50/22.5                                                                                                                                        | 100/45         | 57/26         | 100/45         |
| Unit Shipping Weight (lbs/Kg) | 62/28                                                                                                                                          | 115/52         | 68/31         | 115/52         |
| Unit Net Dimension (in)       | 21Lx13Wx14.5H                                                                                                                                  | 32Lx18Wx22.5H  | 21Lx13Wx14.5H | 32Lx18Wx22.5H  |
| Unit Net Dimension (cm)       | 53Lx33Wx37H                                                                                                                                    | 81Lx45.75Wx57H | 53Lx33Wx37H   | 81Lx45.75Wx57H |
| Unit Shipping Dimension (in)  | 24.5Lx13Wx16H                                                                                                                                  | 33Lx21Wx24H    | 24.5Lx13Wx16H | 33Lx21Wx24H    |
| Unit Shipping Dimension (cm)  | 62Lx33Wx40.5H                                                                                                                                  | 84Lx53Wx61H    | 62Lx33Wx40.5H | 84Lx53Wx61H    |


# FRAME ASSEMBLY FOR CD-1002/1502-2MUH

Call for Parts 888-279-9274



| CD-1002_1502-1MUH 101220 JRC |                                                           |           |     |
|------------------------------|-----------------------------------------------------------|-----------|-----|
| FRAME ASSEMBLY               |                                                           |           |     |
| ITEM                         | TITLE                                                     | Mi-T-M #  | QTY |
| 1                            | DETERGENT HOSE                                            | 19-0233   | 1   |
| 2                            | UNLOADER                                                  | 8-0572    | 1   |
| 3                            | SWIVEL                                                    | 23-0445   | 1   |
| 4                            | FILTER                                                    | 19-0001   | 1   |
| 5                            | QUICK CONNECT SOCKET                                      | 17-0004   | 1   |
| 6                            | O-RING                                                    | 25-0123   | 1   |
| 7                            | BOLT                                                      | 27-0117   | 2   |
| 8                            | LOCKWASHER                                                | 29-0155   | 4   |
| 9                            | PUMP                                                      | 3-0278    | 1   |
| 10                           | RELIEF VALVE                                              | 22-0371   | 1   |
| 11                           | POP-OFF VALVE                                             | 22-0046   | 1   |
| 12                           | REDUCER                                                   | 23-0017   | 1   |
| 13                           | ELBOW                                                     | 23-0034   | 1   |
| 14                           | KEY                                                       | 43-0072   | 1   |
| 15                           | BASEPLATE                                                 | 5-0110A18 | 1   |
| 16                           | BOLT                                                      | 27-0066   | 4   |
| 17                           | BOLT                                                      | 27-0068   | 4   |
| 18                           | ISOLATOR                                                  | 14-0008   | 4   |
| 19                           | LOCKNUT                                                   | 30-0157   | 8   |
| 20                           | DECAL - MADE IN USA                                       | 34-3553   | 1   |
| 21                           | WASHER                                                    | 28-0003   | 4   |
| 22                           | DECAL - CAUTION HOT WATER                                 | 34-1254   | 1   |
| 23                           | DECAL - CAUTION/IMPORTANT (SEE 71-1012)                   | N/A       | 1   |
| 24                           | TAG - WARNING RISK OF ELECTROCUTION                       | 34-1035   | 1   |
| 25                           | CABLE TIE                                                 | 33-0022   | 1   |
| 26                           | DECAL (1002)                                              | N/A       | 1   |
| -                            | DECAL (1502)                                              | N/A       | 1   |
| 27                           | MOTOR ASSEMBLY(1002)                                      | 851-0247  | 1   |
| -                            | MOTOR ASSEMBLY (1502)                                     | 851-0248  | 1   |
| 28                           | DECAL-ON/OFF (SEE 71-XXXX)                                | N/A       | 1   |
| 29                           | DECAL - WARNING POTABLE WATER (E/S) (SEE 71-1012)         | N/A       | 1   |
| 30                           | DECAL - WARNING RISK OF ELECTROCUTION (SEE 71-1012)       | N/A       | 1   |
| 31                           | DECAL- MOBILE PRO                                         | 34-3576   | 1   |
| 32                           | DECAL - WARNING RISK OF INJECTION/EXPLOSION (SEE 71-1012) | N/A       | 1   |
| 33                           | DECAL- SILVER STICKER                                     | N/A       | 1   |
| 34                           | NOZZLE (1502)                                             | 18-0053   | 1   |
| -                            | NOZZLE (1002)                                             | 18-0054   | 1   |
| 35                           | LANCE                                                     | 16-0415   | 1   |
| 36                           | GUN                                                       | 16-0445   | 1   |
| 37                           | HANDLE GRIP                                               | 7-0059    | 1   |
| 38                           | HANDLE                                                    | 7-0078A18 | 1   |
| 39                           | HOSE ASSEMBLY                                             | 851-0359  | 1   |
| 40                           | HOSE                                                      | 15-0138   | 1   |
| 41                           | QUICK CONNECT                                             | 17-0006   | 1   |
| 42                           | TAG - IMPORTANT OIL PLUG                                  | 34-1067   | 1   |
| 43                           | DECAL - Mi-T-M                                            | 34-2167   | 1   |
| 44                           | BOLT                                                      | 27-0118   | 2   |
| -                            | DECAL SET                                                 | 71-1012   | 1   |


## FRAME ASSEMBLY FOR CD-1002/1502-2MUC




Call for Parts 888-279-9274

| FRAME ASSEMBLY FOR CD-1002/1502-2MUC |                                                  |            |      |        |                                                           |           |      |
|--------------------------------------|--------------------------------------------------|------------|------|--------|-----------------------------------------------------------|-----------|------|
| REF. #                               | DESCRIPTION                                      | PART #     | QTY. | REF. # | DESCRIPTION                                               | PART #    | QTY. |
| 1                                    | Detergent Hose *(Four Feet Required)             | 15-0021    | 1    | 28     | Frame Assembly                                            | 5-0148A01 | 1    |
| 2                                    | Detergent Strainer                               | 19-0050    | 1    | 29     | Knob                                                      | 7-0107    | 2    |
| 3                                    | Unloader                                         | 8-0572     | 1    | 30     | Carriage Bolt                                             | 31-0051   | 2    |
| 4                                    | Garden Hose Swivel                               | 23-0445    | 1    | 31     | Handle Assembly                                           | 7-0158A01 | 1    |
| 5                                    | Inlet Filter                                     | 19-0001    | 1    | 32     | Motor Assembly- 1.5 HP (CD-1002-2MUH)                     | 851-0247  | 1    |
| 6                                    | Quick Connect Socket                             | 17-0004    | 1    | -      | Motor Assembly- 2.0 HP (CD-1502-2MUH)                     | 851-0248  | 1    |
| 7                                    | O-ring (Replacement Only)                        | 25-0123    | -    | 33     | Decal- On/Off (See 34-9015)                               | N/A Sep.  | 1    |
| 8                                    | Thermal Relief Valve                             | 22-0371    | 1    | 34     | Decal- Warning: Backflow Protection (See 34-9015)         | N/A Sep.  | 1    |
| 9                                    | Elbow                                            | 23-0034    | 1    | 35     | Decal- Warning: Risk of Electrocution (See 34-9015)       | N/A Sep.  | 1    |
| 10                                   | Bushing                                          | 23-0017    | 1    | 36     | Decal- Mi-T-M CD-1002 (CD-1002-2MUH)                      | 34-0629   | 2    |
| 11                                   | Pop-Off Valve                                    | 22-0046    | 1    | -      | Decal- Mi-T-M CD-1502 (CD-1502-2MUH)                      | 34-0630   | 2    |
| 12                                   | Bolt                                             | 27-0066    | 4    | 37     | Decal- Warning: Risk of Injection/Explosion (See 34-9015) | N/A Sep.  | 1    |
| 13                                   | Washer                                           | 28-0003    | 4    | 38     | Decal- Date Plate                                         | N/A       | 1    |
| 14                                   | Locknut                                          | 30-0157    | 4    | 39     | Nozzle- 1504 (CD-1002-2MUH)                               | 18-0054   | 1    |
| 15                                   | Decal- Caution: Hot Water (See 34-9015)          | N/A Sep.   | 1    | -      | Nozzle- 1503 (CD-1502-2MUH)                               | 18-0053   | 1    |
| 16                                   | Decal- Caution/Important (See 34-9015)           | N/A Sep.   | 1    | 40     | Lance Assembly                                            | 16-0415   | 1    |
| 17                                   | Hang Tag- Warning: Risk of Electrocution (E/F/S) | 34-1035    | 1    | 41     | Gun                                                       | 16-0445   | 1    |
| 18                                   | Cable Tie                                        | 33-0022    | 1    | 42     | Quick Connect Plug                                        | 17-0006   | 1    |
| 19                                   | Isolator                                         | 14-0066    | 2    | 43     | High Pressure Hose                                        | 15-0138   | 1    |
| 20                                   | Washer                                           | 28-0021    | 2    | 44     | Foam Covering *(One Foot Required)                        | 7-0046    | 1    |
| 21                                   | Bolt                                             | 27-0019    | 2    | 45     | Tag- Remove Red Plug                                      | 34-1067   | 1    |
| 22                                   | Locknut                                          | 30-0155    | 2    | 46     | Bolt                                                      | 27-0117   | 4    |
| 23                                   | Axle Spacer                                      | 20-0406A01 | 2    | 47     | Lockwasher                                                | 29-0155   | 4    |
| 24                                   | Washer                                           | 28-0006    | 5    | 48     | Decal- Important Pump Instructions (See 34-9015)          | N/A Sep.  | 1    |
| 25                                   | Wheel                                            | 14-0052    | 2    | 49     | Pump                                                      | 3-0278    | 1    |
| 26                                   | Hub Cap                                          | 33-0055    | 2    | 50     | Key                                                       | 43-0072   | 1    |
| 27                                   | Axle                                             | 20-0517    | 1    |        | Safety Decal Kit (Inc. 15-16, 33-35, 37, 48)              | 34-9015   |      |
| *Must Order in One Foot Lengths      |                                                  |            |      |        |                                                           |           |      |

## MOTOR ASSEMBLY (851-0247 & 851-0248)




CAPACITOR TERMINAL ASSEMBLY



| <b>MOTOR ASSEMBLY (851-0247 &amp; 851-0248)</b> |                                     |               |             |
|-------------------------------------------------|-------------------------------------|---------------|-------------|
| <b>REF. #</b>                                   | <b>DESCRIPTION</b>                  | <b>PART #</b> | <b>QTY.</b> |
| 1                                               | Hex Screw                           | 27-8389       | 8           |
| 2                                               | Motor Box                           | 52-0041       | 1           |
| 3                                               | O-ring                              | 25-0338       | 1           |
| 4                                               | Terminal                            | 32-0099       | 2           |
| 5                                               | Switch for 851-0247 (15 Amp)        | 32-0408       | 1           |
| -                                               | Switch for 851-0248 (20 Amp)        | 32-0348       | 1           |
| 6                                               | Crimp Splice                        | 32-0359       | 1           |
| 7                                               | Starting Capacitor for 851-0247     | 32-0411       | 1           |
| -                                               | Starting Capacitor for 851-0248     | 32-0412       | 1           |
| 8                                               | Running Capacitor                   | 32-0413       | 1           |
| 9                                               | Lockwasher                          | 28-1009       | 1           |
| 10                                              | Strain Relief                       | 32-0407       | 1           |
| 11                                              | GFCI Cord for 851-0247 (15 Amp)     | 32-0268       | 1           |
| -                                               | GFCI Cord for 851-0248 (20 Amp)     | 32-0215       | 1           |
| 12                                              | Motor Box Strap                     | 52-0042       | 1           |
| 13                                              | Motor- 1.5 H.P. (See 851-0247)      | N/A Sep.      | 1           |
| -                                               | Motor- 2.0 H.P. (See 851-0248)      | N/A Sep.      | 1           |
|                                                 | Complete Motor Assembly (Inc. 1-13) | 851-0247      |             |
|                                                 | Complete Motor Assembly (Inc. 1-13) | 851-0248      |             |

## PUMP ASSEMBLY (3-0278)

| TORQUE SPECS. |        |
|---------------|--------|
| POSITION      | FT-LBS |
| 1             | 59     |
| 5             | 8.8    |
| 6             | 9.6    |
| 9             | 29.5   |
| 10            | 29.5   |
| 17            | 7.4    |
| 26            | 14.7   |
| 37            | 11.1   |
| 44            | 7.4    |




Call for Parts 888-279-9274

3-0278-012706-JJT

| PUMP ASSEMBLY (3-0278) |                                                        |          |      |  |        |                                      |             |
|------------------------|--------------------------------------------------------|----------|------|--|--------|--------------------------------------|-------------|
| REF. #                 | DESCRIPTION                                            | PART #   | QTY. |  | REF. # | DESCRIPTION                          | PART # QTY. |
| 1                      | Valve Cap                                              | 39-0223  | 6    |  | 25     | Wrist Pin                            | 46-1226 3   |
| 2                      | O-ring                                                 | 25-0012  | 6    |  | 26     | Plug                                 | 39-0017 1   |
| 3                      | Valve Assembly (See 70-0028)                           | N/A Sep. | 6    |  | 27     | O-ring                               | 25-0014 1   |
| 4                      | Manifold                                               | 46-1223  | 1    |  | 28     | Rear Crankcase Cover                 | 46-1227 1   |
| 5                      | Bolt                                                   | 27-8407  | 8    |  | 29     | O-ring                               | 25-0593 1   |
| 6                      | Plug                                                   | 39-0032  | 1    |  | 30     | Connecting Rod                       | 46-1228 3   |
| 7                      | Washer                                                 | 28-0600  | 1    |  | 31     | Plunger Guide                        | 46-1229 3   |
| 8                      | Washer                                                 | 28-1038  | 1    |  | 32     | Washer                               | 46-0167 3   |
| 9                      | Plug                                                   | 39-0018  | 1    |  | 33     | Anti-Extrusion Ring                  | 25-0143 3   |
| 10                     | Plug                                                   | 39-0019  | 1    |  | 34     | O-ring                               | 25-0337 3   |
| 11                     | High Pressure Seal w/ O-ring (See 70-0448)             | N/A Sep. | 3    |  | 35     | Plunger                              | 46-1230 3   |
| 12                     | High Pressure Intermediate Seal Retainer (See 70-0448) | N/A Sep. | 3    |  | 36     | Gasket Washer                        | 46-1231 3   |
| 13                     | Low Pressure Seal (See 70-0448)                        | N/A Sep. | 3    |  | 37     | Nut                                  | 46-0168 3   |
| 14                     | Low Pressure Seal Retainer (See 70-0448)               | N/A Sep. | 3    |  | 38     | Dipstick                             | 46-0143 1   |
| 15                     | O-ring (See 70-0448)                                   | N/A Sep. | 3    |  | 39     | Crankcase                            | 46-1232 1   |
| 16                     | Oil Seal                                               | 26-0111  | 3    |  | 40     | Ball Bearing                         | 48-0013 1   |
| 17                     | Bolt                                                   | 27-8409  | 8    |  | 41     | O-ring                               | 25-0060 1   |
| 18                     | Lockwasher                                             | 29-0153  | 4    |  | 42     | Oil Level Indicator                  | 46-0574 1   |
| 19                     | Pump Flange                                            | 38-0032  | 1    |  | 43     | Oil Level Retainer                   | 46-0084 1   |
| 20                     | Seal                                                   | 26-0052  | 1    |  | 44     | Bolt                                 | 27-8000 4   |
| 21                     | Spacer                                                 | 46-1224  | 1    |  |        | Packing Assembly (11-15)             | 70-0448     |
| 22                     | Ball Bearing                                           | 48-0011  | 1    |  |        | Packing Kit (Inc. 3 each 11, 13, 15) | 70-0447     |
| 23                     | Crankshaft                                             | 46-1225  | 1    |  |        | Valve Kit (Inc. 6 each 3)            | 70-0028     |
| 24                     | Bolt                                                   | 27-8886  | 1    |  |        | Oil Seals Kit (Inc. 3 each 17)       | 70-0015     |

# UNLOADER ASSEMBLY (8-0572)




8-0572-041511-RSW

## UNLOADER ASSEMBLY

| ITEM | DESCRIPTION      | PART #  | QTY |  | ITEM | DESCRIPTION             | PART #  | QTY |
|------|------------------|---------|-----|--|------|-------------------------|---------|-----|
| 1    | ADJUSTMENT KNOB  | 7-0199  | 1   |  | 21   | BANJO BOLT              | 8-0582  | 1   |
| 2    | ADJUSTING CAP    | 8-0573  | 1   |  | 22   | INLET MANIFOLD          | N/A     | 1   |
| 3    | SPRING           | 49-0163 | 1   |  | 23   | SEALING WASHER          | 28-1052 | 2   |
| 4    | RING NUT         | 8-0574  | 1   |  | 24   | BANJO BOLT              | 8-0583  | 1   |
| 5    | SPRING GUIDE PIN | 8-0575  | 1   |  | 25   | O-RING                  | N/A     | 1   |
| 6    | PISTON HOLDER    | 8-0576  | 1   |  | 26   | O-RING                  | N/A     | 1   |
| 7    | O-RING           | N/A     | 1   |  | 27   | SHUTTER PIN             | 8-0584  | 1   |
| 8    | SET SCREW        | 8-0479  | 1   |  | 28   | SPRING                  | 49-0150 | 1   |
| 9    | O-RING           | N/A     | 1   |  | 29   | O-RING                  | N/A     | 1   |
| 10   | BACK-UP RING     | N/A     | 1   |  | 30   | ORIFICE                 | 50-0198 | 1   |
| 11   | PISTON           | 8-0577  | 1   |  | 31   | ADJUSTMENT KNOB         | N/A     | 1   |
| 12   | SPACER RING      | 8-0578  | 1   |  | 32   | ADJUSTABLE SHUTTER BARB | N/A     | 1   |
| 13   | O-RING           | N/A     | 1   |  | 33   | O-RING                  | N/A     | 1   |
| 14   | BACK-UP RING     | N/A     | 1   |  | 34   | SPRING                  | N/A     | 1   |
| 15   | SPACER RING      | 8-0579  | 1   |  | 35   | PISTON RETAINER         | N/A     | 1   |
| 16   | O-RING           | N/A     | 1   |  | 36   | O-RING                  | 25-0645 | 1   |
| 17   | SHUTTER PIN      | 8-0580  | 1   |  | 37   | BALL                    | 50-0199 | 1   |
| 18   | SEAT AND O-RING  | 8-0581  | 1   |  | 38   | SPRING                  | 49-0166 | 1   |
| 19   | WASHER           | 8-0427  | 2   |  | 39   | INJECTOR BODY           | N/A     | 1   |
| 20   | UNLOADER BODY    | N/A     | 1   |  |      |                         |         |     |

## LANCE ASSEMBLY (16-0415)




16-0415-060304-JJF

16-0415-060304-JJF

| LANCE ASSEMBLY (16-0415) |                                     |          |      |
|--------------------------|-------------------------------------|----------|------|
| REF. #                   | DESCRIPTION                         | PART #   | QTY. |
| 1                        | Coupling                            | 16-0378  | 1    |
| 2                        | Cover Protection (See 16-0415)      | N/A Sep. | 1    |
| 3                        | Pipe                                | 16-0379  | 1    |
| 4                        | Cover Protection (See 16-0415)      | N/A Sep. | 1    |
| 5                        | Nipple (See 16-0415)                | N/A Sep. | 1    |
| 6                        | Back Ring (See 16-0415)             | N/A Sep. | 1    |
| 7                        | O-ring (See 16-0415)                | N/A Sep. | 1    |
| 8                        | Insert Ring Nut (See 16-0415)       | N/A Sep. | 1    |
| 9                        | Diffuser (See 16-0415)              | N/A Sep. | 1    |
| 10                       | Knob (See 16-0415)                  | N/A Sep. | 1    |
| 11                       | Pin (See 16-0415)                   | N/A Sep. | 1    |
|                          | Complete Lance Assembly (Inc. 1-11) | 16-0415  |      |


# WIRING SCHEMATIC

## SCHEMATIC



## WIRING DIAGRAM

DIAGRAM



Manufactured by Mi-T-M  
50 Mi-T-M Drive, Peosta IA 52068  
563-556-7484/ Fax 563-556-1235