



TECHNICAL PARTS LIST FOR ***CW-4004-3MV0***

For parts Call 888-279-9274

Engine Oil Grade:	Above 40°F=SAE 30 Below 40°F=SAE10W-30
Engine Oil Capacity:	56 oz.
Pump Oil Grade:	Mi-T-M Pump Oil #AW-4085-0016
Pump Oil Capacity:	40.6 oz.
Nozzle Size:	4.0

This Parts Listing has been compiled for your benefit. You can be assured your Mi-T-M Cold Water Pressure Washer was constructed and designed with quality and performance in mind using over 25 years experience in the pressure washer business. Each component has been rigorously tested to insure the highest level of acceptance.

The contents of this Parts Listing are based on the latest product information available at the time of publication. Mi-T-M reserves the right to make changes in price, color, materials, equipment, specifications or models at any time without notice.

WARNING

THIS IS A PROFESSIONAL HIGH PRESSURE, COLD WATER PRESSURE WASHER. CAUTION SHOULD BE OBSERVED WHEN USING OR REPAIRING THIS UNIT! READ AND FOLLOW THE SAFETY WARNINGS LISTED BELOW BEFORE ATTEMPTING ANY REPAIRS ON THIS PRESSURE WASHER!

SAFETY WARNINGS

- 1. NEVER alter or modify the equipment. Be sure any accessory items and system components being used will withstand the pressure developed. Use only genuine Mi-T-M parts for repair of your pressure washer. Failure to do so can cause hazardous operating conditions and will VOID warranty.
- 2. NEVER make adjustments on machinery while the unit is connected to the engine without first removing the ignition cables from the spark plugs. Turning over the machinery by hand during adjustment or cleaning might start the machinery, causing serious injury to the operator.
- 3. Know how to stop and bleed pressures quickly. Be thoroughly familiar with controls.
- 4. Before servicing the unit, turn unit off, relieve the water pressure and allow the unit to cool down. Do not make repairs while the unit is running. Service in a clean, dry, flat area.
- 5. After testing the machine, DO NOT leave the pressurized unit unattended. Shut off the unit and release trapped pressure before leaving.

Table of Contents

NOTE.....3

SPECIFICATIONS.....5

FRAME ASSEMBLY FOR CW-4004-3MV0 (BEFORE SERIAL #10552631)6

FRAME ASSEMBLY FOR CW-4004-3MV0 (AFTER SERIAL #10552631)8

FRAME ASSEMBLY FOR CW-4004-3MV0 (AFTER SERIAL #10759196)10

PUMP ASSEMBLY (3-0075)12

UNLOADER ASSEMBLY (8-0270)14

UNLOADER ASSEMBLY (8-0634)16

NOTE


SERIAL NUMBER BREAK	DATE	REASON
#10552631	121610	CHANGED PAINT CODE FROM A42 TO A01 (UNITS CHANGED FROM GRAY TO BLACK)
#10759196	100913	CHANGED UNLOADER FROM 8-0270 TO 8-0634

NOTE

SPECIFICATIONS

MODEL NUMBER	CW-4004-3MV0
Operating Pressure (PSI/Bar):	4000/275.8
High Pressure Nozzle:	4.0
Water Volume (GPM/lpm):	4.0/15.1
Engine:	Briggs & Stratton
Model	3054
Engine Type	Four Stroke, Overhead Valve, Single Cylinder
Oil Type	Above 40°F=SAE 30/Below 40°F=SAE 10W-30
Oil Capacity (oz./liter)	56/1.7
Low Oil Protection	Oil Guard™
Fuel Type	Unleaded Gasoline 86 Octane Minimum
Fuel Capacity (gal./liter)	2.25/8.5
Starting	Recoil Rope
Maximum No Load RPM	3600 (+/- 100)
Pump:	Direct Driven, Oil Bath, Triplex Piston
Oil Type	Mi-T-M Pump Oil #AW-4085-0016
Oil Capacity (oz./liters)	40.6/1.2
Plungers	Ceramic Coated
Manifold	Forged Brass
Valves	Stainless Steel
Unloader	Preset
Heat Dump Valve	Relieves heated water during unloader bypass stage
Detergent Injector	Adjustable low pressure down stream from pump
Unit Net Weight (lbs/Kg)	249/113
Unit Shipping Weight (lbs/Kg)	327/148
Unit Net Dimension (in/cm)	46Lx28Wx30H/ 117Lx71Wx76H
Unit Shipping Dimension (in/cm)	49Lx30.5Wx35.5H/ 124Lx77.5Wx90H


FRAME ASSEMBLY FOR CW-4004-3MV0 (BEFORE SERIAL #10552631)



For parts Call 888-279-9274

FRAME ASSEMBLY FOR CW-4004-3MV0											
REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.	REF. #	DESCRIPTION	PART #	QTY.
1	Decal- Data Plate	N/A	1	37	Spray Nozzle- 0004	18-0028	1	70	Elbow	23-0237	1
2	Base Plate	5-0078A42	1	-	Spray Nozzle- 1504	18-0029	1	71	Hex Nipple	24-0024	1
3	Handle	7-0174A42	1	-	Spray Nozzle- 2504	18-0030	1	72	Elbow	24-0105	1
4	Washer	28-0003	31	-	Spray Nozzle- 4004	18-0031	1	73	Filter Assembly	19-0206	1
5	Locknut	30-0157	23	38	Bushing	9-0017	1	74	Tag- Water Supply Inlet	34-0097	1
6	Bolt	27-0068	6	39	Sheave	10-0040	1	75	Battery Box	33-0092	1
7	Isolator	14-0008	2	40	Key w/Pump	43-0028	1	76	Battery Cable Assembly (Inc. 77-78)	851-0344	1
8	Underbracket	13-0137A42	1	41	Pump	3-0075	1	77	Battery Terminal	32-0097	2
9	Jamnut	30-0117	2	42	Locknut	30-0161	4	78	Battery Cable (Neg.) *(Two Feet Required)	32-0065	1
10	Wheel	14-0092	2	43	Washer	28-0030	8	79	Battery	32-0058	1
11	Bolt	27-0067	8	44	Pump Bracket	5-0101A01	1	80	Bolt	27-0066	4
12	Handle	7-0176A42	1	45	Washer w/Pump	29-0055	4	81	Battery Cable Assembly (Inc. 82-85)	851-0082	1
13	Bolt	27-0070	4	46	Bolt w/Pump	27-8471	4	82	Battery Terminal	32-0097	1
14	Decal- Warning: Muffler Hot (See 34-9017)	N/A Sep.	1	47	Bolt	27-0118	2	83	Battery Terminal	32-0098	1
15	Decal- Caution: Allow to Cool (See 34-9017)	N/A Sep.	1	48	Brace Tightener	13-0003A01	1	84	Battery Cable (Pos.) *(Two Feet Required)	32-0065	1
16	Engine- 16 H.P. Vanguard	851-0099	1	49	Bolt	27-0166	4	85	Battery Cable Cover	33-0004	1
17	Key	43-0078	1	50	Locknut	30-0159	2	86	Battery Retainer	20-0264A01	1
18	Beltguard Back Assembly (Inc. 19-22)	851-0349	1	51	Washer	28-0023	3	87	Tag- Battery	34-0096	1
19	Decal- Warning/Caution (See 34-9017)	N/A Sep.	1	52	Bolt	27-0576	1	88	Decal- Caution: Disconnect Battery (See 34-9017)	N/A Sep.	1
20	Beltguard Back (See 851-0349)	N/A Sep.	1	53	Hose	15-0141	1	89	Pressure Hose Assembly (Inc. 90-92)	851-0006	1
21	Edging *(Two Feet Required)	33-0020	1	54	Manifold Block	51-0012	1	90	Quick Connect Plug	17-0006	1
22	Decal- Warning: Beltguard Cover (See 34-9017)	N/A Sep.	1	55	Washer	29-0008	2	91	Pressure Hose	15-0004	1
23	Sheave	10-0064	1	56	Bolt	27-0116	2	92	Quick Connect Socket	17-0004	1
24	Belt	11-0009	2	57	Quick Connect Socket	17-0029	1	93	Gun/Wand Assembly (Inc. 94-98)	851-0095	1
25	Bushing	9-0005	1	58	O-ring (Replacement Only)	25-0123	-	94	Quick Connect Plug	17-0005	1
26	Bolt	27-0015	1	59	By-Pass Hose	15-0022	1	95	Gun	16-0001	1
27	Beltguard Cover Assembly (Inc. 28-33)	851-0348	1	60	Hose Barb	23-0005	2	96	Wand w/ 36" Handle	16-0120A01	1
28	Edging *(Four Feet Required)	33-0020	1	61	Street Tee	23-0124	1	97	Grip Handle	7-0002	1
29	Beltguard Cover (See 851-0348)	N/A Sep.	1	62	Heat Dump Valve	22-0005	1	98	Quick Connect Socket	17-0001	1
30	Decal- Operating Instructions (See 34-9017)	N/A Sep.	1	63	Tee	23-0043	1	99	Decal- Warning: Risk of Injection (See 34-9017)	N/A Sep.	1
31	Fastner	33-0197	1	64	Hex Nipple	23-0012	1	100	O-ring (Replacement Only)	25-0122	-
32	Decal- Die Cut Nozzles	34-0500	1	65	Hose	15-0140	1		Safety Decal Kit (Inc. 14, 15, 19, 22, 30, 88, 99)	34-9017	
33	Grommet	33-0001	5	66	Easy Start Valve	22-0146	1	*Must Order in One Foot Lengths			
34	Decal- Mi-T-M Stripe	34-0501	1	67	Elbow	24-0074	1				
35	Mi-T-M Logo	62-0086	1	68	Unloader	8-0270	1				
36	Decal- Die Cut 4004	34-0261	1	69	Hex Reducer	23-0056	1				

FRAME ASSEMBLY FOR CW-4004-3MV0 (AFTER SERIAL #10552631)




For parts Call 888-279-9274

FRAME ASSEMBLY											
ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY
1	REAR TUBING HANDLE	7-0176A01	1	33	HOSE	15-0140	1	62	QUICK CONNECT	17-0001	1
2	LOCKNUT	30-0157	23	34	ELBOW	23-0237	1	63	DECAL - RISK OF INJECTION (SEE 34-9017)	N/A	1
3	WASHER	28-0003	33	35	REDUCER	23-0056	1	64	WAND	16-0439	1
4	BOLT	27-0067	8	36	VALVE	22-0146	1	65	GUN	16-0001	1
5	BASEPLATE	5-0078A01	1	37	UNLOADER	8-0270	1	66	QUICK CONNECT	17-0005	1
6	DECAL- SILVER STICKER	N/A	1	38	ELBOW	24-0074	1	67	BUSHING	9-0005	1
7	TAG	34-0096	1	39	HOSE BARB	23-0005	2	68	SHEAVE	10-0064	1
8	WHEEL	14-0092	2	40	HOSE	15-0022	1	69	BELTGUARD BACK	851-0349	1
9	LOCKNUT	30-0117	2	41	BELT	11-0089	2	70	DECAL - WARNING (SEE 34-9017)	34-0826	1
10	CABLE	32-9111	1	42	SHEAVE	10-0040	1	71	EDGING *(TWO FEET FEET REQUIRED)	33-0020	1
11	CABLE	32-9112	1	43	BUSHING	9-0017	1	72	BELTGUARD BACK	6-0063A01	1
12	BATTERY	32-0058	1	44	BOLT	27-0015	4	73	DECAL - WARNING (SEE 34-9017)	N/A	1
13	BATTERY RETAINER	20-0264A01	1	45	HOSE ASSEMBLY	851-0338	1	74	DECAL - RISK OF BURNS (SEE 34-9017)	N/A	1
14	DECAL - RISK OF INJURY (SEE 34-9017)	N/A	1	46	QC SOCKET	17-0004	1	75	VANGUARD ENGINE ASSY	851-0099	1
15	BOLT	27-0066	4	47	HOSE	15-0209	1	76	DECAL - RISK OF FIRE (SEE 34-9017)	N/A	1
16	BATTERY BOX	33-0092	1	48	QUICK CONNECT	17-0006	1	77	KEY	43-0078	1
17	BOLT	27-0068	6	49	DECAL - MI-T-M	34-2169	1	78	PUMP	3-0075	1
18	UNDERBRACKET	13-0137A01	1	50	DECAL - MI-T-M STRIPE	34-2189	1	79	LOCKNUT	30-0161	4
19	ISOLATOR	14-0008	2	51	DECAL - DIE CUT	34-2216	1	80	WASHER	28-0030	8
20	HANDLE	7-0174A01	1	52	NOZZLE	18-0028	1	81	BOLT	27-0166	4
21	HP HOSE	15-0141	1	-	NOZZLE	18-0029	1	82	BOLT	27-0070	4
22	MANIFOLD BLOCK	51-0012	1	-	NOZZLE	18-0030	1	83	LOCKWASHER	29-0055	4
23	LOCKWASHER	29-0008	2	-	NOZZLE	18-0031	1	84	BOLT	27-8471	4
24	BOLT	27-0116	2	53	BELTGUARD COVER	851-0348	1	85	PUMP BRACKET	5-0101A01	1
25	QUICK CONNECT SOCKET	17-0029	1	54	GROMMET	33-0001	5	86	BOLT	27-0118	2
26	O-RING	25-0123	2	55	DECAL - NOZZLE	34-0500	1	87	WASHER	28-0023	3
27	TAG - WATER SUPPLY INLET (E)	34-0097	1	56	FASTENER	33-0197	1	88	LOCKNUT	30-0159	2
28	FILTER	19-0206	1	57	DECAL - WARNING RISK OF BURNS (SEE 34-9017)	N/A	1	89	RELIEF VALVE	22-0005	1
29	TEE	23-0043	1	58	BELTGUARD COVER	6-0064A01	1	90	TEE	23-0124	1
30	NIPPLE	23-0012	1	59	EDGING *(FOUR FEET REQUIRED)	33-0020	1	91	BRACKET	13-0003A01	1
31	ELBOW	24-0105	1	60	O-RING	25-0122	1	92	BOLT	27-0576	1
32	ADAPTER	24-0024	1	61	GUN, BLACK WAND GRIP W/ QC	851-0371	1	-	DECAL SET	34-9017	1

*MUST ORDER IN ONE FOOT LENGTHS


FRAME ASSEMBLY FOR CW-4004-3MV0 (AFTER SERIAL #10759196)



For parts Call 888-279-9274

				CW-4004-5MV0 082713 JPS			
				FRAME ASSEMBLY			
ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY
1	HANDLE	7-0175A01	1	49	NOZZLE	18-0397	1
2	LOCKNUT	30-0157	23	-	NOZZLE	18-0399	1
3	WASHER	28-0003	33	-	NOZZLE	18-0400	1
4	BOLT	27-0067	8	-	NOZZLE	18-0401	1
5	BASEPLATE	5-0078A01	1	50	O-RING	25-0122	1
6	DECAL - SILVER STICKER	N/A	1	51	QUICK CONNECT	17-0001	1
7	WHEEL	14-0127	2	52	DECAL - RISK OF INJECTION (SEE 71-1039)	N/A	1
8	LOCKNUT	30-0117	2	53	BELTGUARD COVER ASSY-MEDIUM	851-0216	1
9	CABLE	32-9111	1	54	DECAL - Mi-T-M STRIPE (SEE 71-1039)	N/A	1
10	CABLE	32-9112	1	55	DECAL - Mi-T-M (SEE 71-1039)	N/A	1
11	BATTERY	32-0058	1	56	GROMMET	33-0001	5
12	TAG	34-0096	1	57	DECAL - NOZZLE	N/A	1
13	BATTERY BOX	33-0092	1	58	FASTENER	33-0197	1
14	BOLT	27-0066	4	59	DECAL - OPERATION (SEE 71-1039)	N/A	1
15	DECAL - RISK OF INJURY (SEE 71-1039)	N/A	1	60	BELTGUARD COVER	N/A	1
16	BATTERY RETAINER	20-0264A01	1	61	EDGING *(FOUR FEET REQUIRED)	33-0020	1
17	BOLT	27-0068	6	62	GUN, BLACK WAND GRIP W/QC	851-0371	1
18	UNDERBRACKET	13-0137A01	1	63	WAND (INC GRIP & QC)	16-0439	1
19	ISOLATOR	14-0008	2	64	GUN	16-0001	1
20	HANDLE	7-0174A01	1	65	QUICK CONNECT	17-0005	1
21	HOSE	15-0141	1	66	BUSHING	9-0005	1
22	MANIFOLD BLOCK	51-0012	1	67	SHEAVE	10-0064	1
23	LOCKWASHER	29-0008	2	68	GRIP	7-0002	1
24	BOLT	27-0116	2	69	BELTGUARD BACK ASSEMBLY-MEDIUM	851-0215	1
25	QUICK CONNECT SOCKET	17-0029	1	70	DECAL - WARNING (SEE 71-1039)	N/A	1
26	O-RING	25-0123	2	71	EDGING *(TWO FEET REQUIRED)	33-0020	1
27	TAG - WATER SUPPLY INLET (E)	34-0097	1	72	BELTGUARD BACK	6-0063A01	1
28	FILTER	19-0206	1	73	DECAL - WARNING (SEE 71-1039)	N/A	1
29	TEE	23-0043	1	74	KEY	43-0048	1
30	NIPPLE	23-0012	1	75	KEY	43-0078	1
31	ELBOW	24-0105	1	76	DECAL - RISK OF FIRE (SEE 71-1039)	N/A	1
32	NIPPLE	24-0010	1	77	VANGUARD ENGINE ASSY	851-0099	1
33	HOSE	15-0140	1	78	DECAL - RISK OF BURNS (SEE 71-1039)	N/A	1
34	ELBOW	23-0237	1	79	PUMP	3-0075	1
35	REDUCER	23-0017	1	80	LOCKNUT	30-0161	4
36	EASY START VALVE	22-0242	1	81	WASHER	28-0030	8
37	UNLOADER	8-0634	1	82	BOLT	27-0166	4
38	ELBOW	24-0092	1	83	BOLT	27-0071	4
39	HOSE BARB	23-0105	1	84	LOCKWASHER	29-0055	4
40	HOSE	15-0022	1	85	BOLT	27-8471	4
41	BELT	11-0089	2	86	PUMP BRACKET	5-0101A01	1
42	SHEAVE	10-0040	1	87	BOLT	27-0118	2
43	BUSHING	9-0017	1	88	WASHER	28-0023	3
44	BOLT	27-0015	4	89	LOCKNUT	30-0159	2
45	ASSY HOSE W/QC 4000 PSI	851-0338	1	90	BRACKET	13-0003A01	1
46	QC SOCKET	17-0004	1	91	BOLT	27-0576	1
47	HOSE	15-0209	1	92	HOSE BARB	23-0005	1
48	QUICK CONNECT	17-0006	1	93	TEE	23-0124	1
*MUST ORDER IN ONE FOOT LENGTHS				94	RELIEF VALVE	22-0005	1
				-	DECAL SET	71-1039	1

PUMP ASSEMBLY (3-0075)



For parts Call 888-279-9274


3-0075 032510 AJH

PUMP ASSEMBLY

ITEM	DESCRIPTION	PART #	QTY	ITEM	DESCRIPTION	PART #	QTY
1	CAP VALVE	46-0282	6	25	BEARING	48-0012	2
2	O-RING	25-0012	6	26	KEY	43-0048	1
3	VALVE (SEE KIT 70-0009)	-	6	27	CRANKSHAFT	46-0050	1
4	MANIFOLD	46-0291	1	28	RETAINING RING	46-0103	6
5	WASHER	28-1039	8	29	CONNECTING ROD PIN	43-0032	3
6	BOLT	27-8185	8	30	OIL LEVEL INDICATOR	46-0114	1
7	WASHER	28-1038	2	31	PLUG	39-0017	1
8	PLUG	39-0019	2	32	O-RING	25-0014	1
9	WASHER	28-1002	2	33	BOLT	27-8404	5
10	PLUG	39-0018	2	34	CRANKCASE OPEN COVER	46-0295	1
11	HEAD RING (SEE KIT 70-0031 AND 852-0064)	70-0031	3	35	O-RING	25-0339	1
12	PACKING (SEE KIT 70-0042 AND 852-0064)	46-0338	3	36	BOLT	27-8435	6
13	LONG LIFE RING (SEE KIT 70-0042 AND 852-0064)	46-0290	3	37	LOCKWASHER	29-0154	6
14	INTERMEDIATE RING (SEE KIT 70-0210)	46-0289	3	38	CONNECTING ROD	46-0051	3
15	V-PACKING (SEE KIT 70-0042 AND 852-0064)	46-0287	3	39	PISTON GUIDE	46-0294	3
16	PACKING RETAINER	46-0286	3	40	SLINGER WASHER	46-0283	3
17	O-RING (SEE KIT 852-0064)	25-0015	3	41	CERAMIC PLUNGER	46-0337	3
18	OIL SEAL	26-0047	3	42	RING	25-0137	3
19	BUSHING	9-0029	3	43	O-RING	25-0138	2
20	BOLT	27-8431	8	44	PISTON SCREW	46-0285	3
21	CRANKCASE COVER	46-0296	1	45	OIL DIP STICK	46-0144	1
22	SHIM	46-0113	1	46	CRANKCASE	46-0047	1
23	OIL SEAL	26-0049	1	47	CRANKCASE COVER	46-0336	1
24	O-RING	25-0013	2				


Mi-T-M KIT #	DESCRIPTION	ITEMS	# OF ASSEMBLIES	# OF CYLINDERS
70-0009	KITS -VALVES	3	6	3
70-0031	KITS -HEAD RING	11	3	3
70-0042	KITS - V-PACKING	12, 13, 15	3	3
70-0210	KITS -INTERMEDIATE RETAINER	14	3	3
852-0064	V-PACKING ASSY	11, 12, 13, 15, 17	3	3

UNLOADER ASSEMBLY (8-0270)



UNLOADER ASSEMBLY (8-0270)			
REF. #	DESCRIPTION	PART #	QTY.
1	Hex Nut	30-7203	2
2	Spring Guide	8-0278	1
3	Spring	49-0111	1
4	Piston Housing	8-0279	1
5	O-ring	25-0189	3
6	Back-up Ring	8-0277	1
7	O-ring	25-0192	1
8	Piston	8-0280	1
9	Pin	43-0059	1
10	Back-up Ring	8-0276	2
11	O-ring	25-0191	1
12	Plug	39-0055	2
13	Valve Housing	8-0275	1
14	O-ring	25-0193	1
15	Check Valve	22-0127	1
16	Spring	49-0058	1
17	Outlet Connection	8-0271	1
18	O-ring	25-0190	1
19	Seat	8-0272	1
20	Ball	8-0273	1
21	Spring	49-0059	1
22	Inlet Connection	8-0274	1
	Unloader Kit (5-7, 10, 11, 14, 18-20)	70-0107	1

UNLOADER ASSEMBLY (8-0634)



ITEM	TORQUE (FT-LBS)
4	50
14	50
15	50

8-0634 052213 JDK

8-0634 052213 JDK			
UNLOADER ASSEMBLY			
ITEM	DESCRIPTION	Mi-T-M #	QTY
1	NUT	8-0293	2
2	SPRING SPACER	46-1527	1
3	SPRING	49-0171	1
4	FITTING	46-1529	1
5	O-RING (SEE KIT 70-0625)	SEE KIT	1
6	O-RING (SEE KIT 70-0625)	SEE KIT	1
7	O-RING (SEE KIT 70-0625)	SEE KIT	1
8	STEM	46-1530	1
9	PLUG	23-0244	2
10	O-RING (SEE KIT 70-0624)	SEE KIT	1
11	POPPET (SEE KIT 70-0624)	SEE KIT	1
12	SPRING (SEE KIT 70-0624)	SEE KIT	1
13	O-RING	25-0672	1
14	OUTLET FITTING	46-1531	1
15	INLET FITTING (SEE KIT 70-0625)	SEE KIT	1
16	O-RING (SEE KIT 70-0625)	SEE KIT	1
17	SPRING	49-0172	1
18	BALL (SEE KIT 70-0625)	SEE KIT	1
19	O-RING (SEE KIT 70-0625)	SEE KIT	1
20	SEAT	46-1532	1
21	FORGING	46-1533	1
22	BACKUP RING (SEE KIT 70-0625)	SEE KIT	2
23	O-RING (SEE KIT 70-0625)	SEE KIT	1
24	PIN (SEE KIT 70-0625)	SEE KIT	1

REPLACEMENT KITS			
Mi-T-M KIT #	DESCRIPTION	ITEMS	QTY
70-0624	KIT - CHECK VALVE	10-12	1, 1, 1
70-0625	KIT - UNLOADER REBUILD	5-7, 15-16, 18-19, 22-24	1, 1, 1, 1, 1, 1, 1, 2, 1, 1

For parts Call 888-279-9274

Manufactured by Mi-T-M
8650 Enterprise Drive, Peosta IA 52068
563-556-7484/ Fax 563-556-1235