



GUN 3500 PSI, 5GPM, M22-M INLET X M22  
(PART NO. 7103569)



LANCE, 16IN  
(PART NO. 7103550)




HOSE, 3400PSI 25FT PLATINUM M22-F x M22-F  
(PART NO. 7103726)



CHEMICAL HOSE AND FILTER KIT  
(PART NO. 7102207)

| ITEM  | PART NO  | DESCRIPTION                                     | QTY. |
|-------|----------|---|------|
| 1     | 7103657  | ENGINE ASSY, W/LABELS (SV3100)                  | 1    |
| 1.1   | 100299   | HONDA GCV190 IDLE-DOWN                          | 1    |
| 2     | 7103284  | PUMP ASSY, AXIAL, 2800PSI (V), FAIP             | 1    |
| 2.1   | 7200284  | PUMP  | 1    |
| 2.2   | 7101359  | THERMAL RELIEF VALVE-1/4" NPT                   | 1    |
| 2.3   | 7001058  | CHEMICAL INJECTION KIT                          | 1    |
| 2.3.1 |          | CHEMICAL INJECTION FITTING                      | 1    |
| 2.3.2 |          | Ø.188 VALVE BALL                                | 1    |
| 2.3.3 |          | INJECTION VALVE SPRING                          | 1    |
| 3     | 7200284R | PUMP, AXIAL, 2800PSI (V) REFURB, MTPV93603PBG   | 1    |
| 4     | 7103660  | FRAME ASSY (SV3100)                             | 1    |
| 4.1   | 7102122  | SNAP BUTTON                                     | 2    |
| 4.2   | 7103666  | FRAME SUBASSY, VERTICAL 13.5 RED                | 1    |
| 5     | 7103656  | HANDLE ASSY.                                    | 1    |
| 5.1   | 7103281  | FACE PLATE, BONNET                              | 1    |
| 5.2   |          | HANDLE, TUBE (RED)                              | 1    |
| 5.3   |          | WASHER, 5/16 x 7/8 x .09                        | 2    |
| 5.4   |          | SELF-TAPPING SCREW, TORX 1/4-20 x 1.75 PLASTITE | 2    |
| 5.5   | 7103727  | HANDLE GRIP                                     | 1    |
| 6     | 7103681  | ENGINE MOUNT HARDWARE KIT                       | 1    |
| 6.1   |          | NUT, WHIZ 5/16-18                               | 3    |
| 6.2   |          | BOLT, SERRATED FLANGE .312-18 X 1.75            | 3    |
| 7     | 7103684  | WHEEL KIT, OFFSET 4.10/3.50-4 WHITE             | 2    |
| 7.1   |          | WHEEL, 10x4 (4.10/3.50-4) WHITE HUB             | 1    |
| 7.2   |          | LOCKING COLLAR, 5/8                             | 1    |
| 8     | 7103742  | FRONT SCOOP ASSY                                | 1    |
| 8.1   |          | FRONT SCOOP                                     | 1    |
| 8.2   |          | LABEL, Display Scoop (SV3100)                   | 1    |
| 9     | 7103685  | CHEMICAL TANK ASSY                              | 1    |
| 9.1   |          | CHEMICAL TANK, SV3100                           | 1    |
| 9.2   | 7103675  | CAP, CHEMICAL TANK                              | 1    |
| 9.3   |          | VALVE, CHEMICAL TANK                            | 1    |
| 9.4   |          | VALVE BUSHING, CHEMICAL TANK                    | 1    |
| 9.5   |          | SCREW 1/4-20 X 3/4 TORX PANHEAD                 | 2    |
| 10    | 7103292  | FOOT KIT  | 1    |
| 10.1  |          | RUBBER FOOT, 1.5 X .625                         | 1    |
| 10.2  |          | SCREW, SELF-TAPPING, .250-14 X .750             | 1    |
| 11    | 7103767  | NOZZLE SET 3.25 4PC.                            | 1    |
| 12    | 7103728  | GROMMET, 7/16 x 1/4 RUBBER                      | 4    |
| 13    | 7103569  | GUN 3500 PSI, 5GPM, M22-M INLET X M22           | 1    |
| 14    | 7103550  | LANCE, 16IN                                     | 1    |
| 15    | 7102207  | CHEMICAL HOSE AND FILTER KIT                    | 1    |
| 16    | 7103726  | HOSE, 3400PSI 25FT PLATINUM M22-F x M22-F       | 1    |
| * 17  | 7103725  | MANUAL, OPERATOR'S                              | 1    |
| * 18  | 7103722  | BOX, DISPLAY                                    | 1    |

\* - NOT SHOWN



#### NOTES:

1. ALL WARRANTY REPAIRS WILL USE REFURBISHED PUMPS.

| UNLESS OTHERWISE SPECIFIED:  |                      | NAME       | DATE        | FNA-GROUP    |
|--|----------------------|------------|-------------|--------------|
| DIMENSIONS ARE IN INCH [MM]<br>TOLERANCES:<br>ANGULAR: ±2deg<br>TWO PL ±0.015 [.38]<br>THREE PL ±0.005 [.13] | DRAWN                | S. FERN.   | 4/27/2010   |              |
|  | CHECKED              | J. RABEY   | 4/29/2010   |              |
|  | ENG APPR.            | -          | -           |              |
|  | MFG APPR.            | -          | -           |              |
| MATERIAL   | AS NOTED             | Q.A.       | -           |              |
| FINISH   | N/A                  | COMMENTS:  |             |              |
| APPLICATION  | DO NOT SCALE DRAWING | SIZE       | DWG. NO.    | REV.         |
|  |                      | <b>A</b>   | 60464-S     | <b>E</b>     |
|  |                      | SCALE: N/A | WEIGHT: N/A | SHEET 1 OF 3 |

**PROPRIETARY AND CONFIDENTIAL**  
THE INFORMATION CONTAINED IN THIS DRAWING IS THE SOLE PROPERTY OF SIMPSON-DELCO. ANY REPRODUCTION IN PART OR AS A WHOLE WITHOUT THE WRITTEN PERMISSION OF SIMPSON-DELCO IS PROHIBITED.

NEXT ASSY  
USED ON  
APPLICATION

FINISH  
N/A  
DO NOT SCALE DRAWING

SIZE **A** DWG. NO. 60464-S REV. **E**  
SCALE: N/A WEIGHT: N/A SHEET 1 OF 3